


VELVET cyc

RGBW asymmetrical cyclorama fixtures



MOVING COLORS

for your background



perfectly
homogeneous


VELVET

dynamic effects

Individual light engines for moving horizontal effects

VELVET CYC consents the individual control of each of its horizontal battens to create gradient color effects thanks to their multiple light engines.



This unique individual light engine control allows to create perfectly homogeneous color backgrounds or to create soft white or colored gradients with different degrees of saturation but you can even combine different colors creating horizontal color mixtures with infinite creative possibilities,

- Horizontal light battens individually controlled
- Dynamic or static horizontal effects
- 1000 Lux / 93 fc level on the backgrounds. Flicker free up to 2000 fps

beam angle variation

Unlike any standard cyclorama light the articulated structure of the VELVET CYC fixtures lets you easily and mechanically change the vertical beam angle by simply bending the fixture in or out.


The vertical beam angle adjustability combined with the individual light engine control lets you fine tune your light to get homogeneous illumination over any kind of flat or infinite background.

truly homogeneous

VELVET Cyc is specially designed to evenly wash backgrounds and to create not only any homogeneous color but also gradient color effects thanks to their multiple light engines using only a single row of luminaries.

Cyclorama Mode

This special dimming curve included sets the intensity of each individual bar to the optimal value to obtain homogeneous illumination on any cyclorama or flat background.



total control

Fully, quickly and easily in any possible way

- Wi-Fi Art-Net to control from any device and third-party application
- DMX-RDM through XLR-5 in and out connectors
- Color display with quick user-friendly control and shock-proof buttons
- White light or color adjustment preset is always visible on its real color.
- Gels list are displayed as colors

Lightweight and powerful


5,5kg/12lbs **1000lx** **5m**



cy 5

cost effective background lights

You only need to display the luminaries along a row 1,5 meters out of the background and separated 1,35 meters among them.



VELVET CYC unique asymmetrical optic design provides cost effective and quick installation using a single row of luminaries to wash up to 7 meters high backgrounds

cy 3

cy 4

cy 5

cy 6

7m/ 23.1 feet

6m/ 19.7 feet

5m/ 16.4 feet

4m/ 13.1 feet

3m/ 9.8 feet



living color


extend your creative possibilities

High-quality color cyclorama lights with adjustable color temperature and green/magenta correction.




smooth theatrical dimming

step-less dimming down to zero at any color setting. 3 dimming curves included.





CYC technical specifications



- COLOUR TEMPERATURE** Continuously adjustable from 2.500K to 10.000K
- LIGHT INTENSITY** Dimmable 0 to 100, smooth and flicker-free
- GREEN/MAGENTA CORRECTION** Continuously adjustable (full Plusgreen to full Minusgreen)
- COLOR CONTROL MODES** CTT mode, HSI+ mode, GEL mode, RGB+ mode, EFFECTS mode
- BEAM ANGLE** Asymmetrical adjustable: Horizontal beam angle 45°. Vertical beam angle 45° to 110° depending on the model
- LOCAL CONTROL** Shock proof buttons and color display
- WIRE CONTROL** DMX-RDM with XLR-5 IN & OUT connectors
- WIRELESS CONTROL** Wi-Fi ArtNet
- POWER SUPPLY** 90-264 VAC 50/60Hz
- LED RATED LIFE** More than 50.000 hours
- POWER CONNECTION** Neutrik PowerCon TRUE1 TOP in and out connectors
- OUTPUT FREQUENCY** 16KHz/ flicker-free up to 2000fps
- OPERATION TEMPERATURE** From -20°C to +40°C
- COOLING** No-noise, fan-free passive cooling
- PROTECTION** IP21dustproof, indoor or outdoor protected use
- VELVET LED CYC TECHNOLOGY** RGBW high-power selected BIN LED core unit + multi Fresnel system
- RIGGING OPTIONS** Aluminum yoke with 16 female combined with 28 pin, swivel ball head, pole operated yoke
- CONSTRUCTION & FINISH** Black anodized extruded aluminum and black powder coated sheet aluminum

photometrics and graphics





MOVING COLORS



Individual R+G+B+W light engines for unique horizontal effects

Beam angle variation
Powerful output for broadcast and Film
Smooth theatrical dimming

Silent fan-less light
Wi-Fi Art-Net wireless remote control
1000 Lux / 93 fc homogeneous

CYC SITE



CYC SUPPORT



USER MANUAL



European quality with 2 years warranty. 100% designed & made in Europe



velvetlight.tv

2023 Copyright VELVETLight. All rights reserved

Intellectual Property, VELVET technology is protected under spanish patents and international patents pending